

Geluidsdemping

Open koeltorens


Technische gegevens

REMARK: Do not use for construction. Refer to factory certified dimensions & weights. This page includes data current at time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice.

[PTE cooling tower performance at standard conditions](#)

Laatst bijgewerkt: 27/07/2024

Geluidsdemping



1. Geluiddemper voor de afvoer.



Model	Afmetingen (mm)		Gewicht (kg) Uitblaaszijde
	D	Ht	
PTE 0709A-3H-L1	2133	5344	215
PTE 0709A-3J-L1	2133	5344	215
PTE 0709A-3L-L1	2133	5344	215
PTE 0709A-4J-L1	2133	5649	215
PTE 0709A-4K-L1	2133	5649	215
PTE 0709A-4L-L1	2133	5649	215
PTE 0709A-3H-L2	2133	5649	215
PTE 0709A-3J-L2	2133	5649	215
PTE 0709A-3L-L2	2133	5649	215
PTE 0709A-4J-L2	2133	5953	215
PTE 0709A-4K-L2	2133	5953	215
PTE 0709A-4L-L2	2133	5953	215
PTE 0709A-3H-L3	2133	5953	215
PTE 0709A-3J-L3	2133	5953	215
PTE 0709A-3L-L3	2133	5953	215
PTE 0709A-4J-L3	2133	6258	215
PTE 0709A-4K-L3	2133	6258	215
PTE 0709A-4L-L3	2133	6258	215
PTE 0809A-3J-L1	2133	5382	231
PTE 0809A-3K-L1	2133	5382	231
PTE 0809A-3L-L1	2133	5382	231
PTE 0809A-4K-L1	2133	5687	231
PTE 0809A-4L-L1	2133	5687	231
PTE 0809A-4M-L1	2133	5687	231
PTE 0812A-3L-L1	2133	5496	174
PTE 0812A-3M-L1	2133	5496	174
PTE 0812A-3N-L1	2133	5496	174
PTE 0812A-4M-L1	2133	5801	174
PTE 0812A-4N-L1	2133	5801	174
PTE 0812A-4O-L1	2133	5801	174
PTE 0809A-3J-L2	2133	5687	231
PTE 0809A-3K-L2	2133	5687	231
PTE 0809A-3L-L2	2133	5687	231
PTE 0809A-4K-L2	2133	5991	231
PTE 0809A-4L-L2	2133	5991	231
PTE 0809A-4M-L2	2133	5991	231
PTE 0812A-3L-L2	2133	5801	174
PTE 0812A-3M-L2	2133	5801	174
PTE 0812A-3N-L2	2133	5801	174
PTE 0812A-4M-L2	2133	6106	174
PTE 0812A-4N-L2	2133	6106	174
PTE 0812A-4O-L2	2133	6106	174
PTE 0809A-3J-L3	2133	5991	231
PTE 0809A-3K-L3	2133	5991	231
PTE 0809A-3L-L3	2133	5991	231
PTE 0809A-4K-L3	2133	6296	231
PTE 0809A-4L-L3	2133	6296	231
PTE 0809A-4M-L3	2133	6296	231
PTE 0812A-3L-L3	2133	6106	174
PTE 0812A-3M-L3	2133	6106	174
PTE 0812A-3N-L3	2133	6106	174
PTE 0812A-4M-L3	2133	6411	174
PTE 0812A-4N-L3	2133	6411	174
PTE 0812A-4O-L3	2133	6411	174
PTE 1009A-3K-L1	2336	5910	209
PTE 1009A-3L-L1	2336	5910	209



PTE 1009A-3M-L1	2336	5910	209
PTE 1009A-4L-L1	2336	6215	209
PTE 1009A-4M-L1	2336	6215	209
PTE 1009A-4N-L1	2336	6215	209
PTE 1012A-3M-L1	2336	5987	209
PTE 1012A-3N-L1	2336	5987	209
PTE 1012A-3O-L1	2336	5987	209
PTE 1012A-4M-L1	2336	6291	209
PTE 1012A-4N-L1	2336	6291	209
PTE 1012A-4O-L1	2336	6291	209
PTE 1009A-3K-L2	2336	6215	209
PTE 1009A-3L-L2	2336	6215	209
PTE 1009A-3M-L2	2336	6215	209
PTE 1009A-4L-L2	2336	6825	209
PTE 1009A-4M-L2	2336	6825	209
PTE 1009A-4N-L2	2336	6825	209
PTE 1012A-3M-L2	2336	6291	209
PTE 1012A-3N-L2	2336	6291	209
PTE 1012A-3O-L2	2336	6291	209
PTE 1012A-4M-L2	2336	6596	209
PTE 1012A-4N-L2	2336	6596	209
PTE 1012A-4O-L2	2336	6596	209
PTE 1009A-3K-L3	2336	6520	209
PTE 1009A-3L-L3	2336	6520	209
PTE 1009A-3M-L3	2336	6520	209
PTE 1009A-4L-L3	2336	6825	209
PTE 1009A-4M-L3	2336	6825	209
PTE 1009A-4N-L3	2336	6825	209
PTE 1012A-3M-L3	2336	6596	209
PTE 1012A-3N-L3	2336	6596	209
PTE 1012A-3O-L3	2336	6596	209
PTE 1012A-4M-L3	2336	6901	209
PTE 1012A-4N-L3	2336	6901	209
PTE 1012A-4O-L3	2336	6901	209
PTE 1212A-3M-L1	2743	6139	288
PTE 1212A-3N-L1	2743	6139	288
PTE 1212A-3O-L1	2743	6139	288
PTE 1212A-4N-L1	2743	6444	288
PTE 1212A-4O-L1	2743	6444	288
PTE 1212A-4P-L1	2743	6444	288
PTE 1212A-3M-L2	2743	6444	288
PTE 1212A-3N-L2	2743	6444	288
PTE 1212A-3O-L2	2743	6444	288
PTE 1212A-4N-L2	2743	6749	288
PTE 1212A-4O-L2	2743	6749	288
PTE 1212A-4P-L2	2743	6749	288
PTE 1212A-3M-L3	2743	6749	288
PTE 1212A-3N-L3	2743	6749	288
PTE 1212A-3O-L3	2743	6749	288
PTE 1212A-4N-L3	2743	7053	288
PTE 1212A-4O-L3	2743	7053	288
PTE 1212A-4P-L3	2743	7053	288